HP ScanJet Enterprise Flow 9000 Series



Max productivity. Wide format. Premium performance.

HP ScanJet Enterprise Flow 9000 is ideal for scanning wide-format documents and handle through heavy workloads with ease.





HP ScanJet Enterprise Flow 9000 s1



HP ScanJet Enterprise Flow N9000 sn1

Scan a wide range of sizes up to A3

- Posters, technical drawings, and more—this scanner handles up to A3 documents, without compromising quality.
- Capture a wide range of documents—even stacks of mixed media sizes and types—with HP EveryPage.
- Keep fragile documents preserved, with the Low-speed mode, which protects thin papers while scanning

Increase productivity and reduce interruptions

- Scan documents blazing fast, with one-pass two-sided scanning up to 80 pages/ 160 images per minute¹
- $\bullet~$ Take care of heavy workloads with the 100 A3-page ADF recommended for 30,000 sheets a day.
- Save time and reduce waste with two-sided scanning that captures all your data in a single pass.
- Tackle tasks quickly and easily with the simple 4.3" (10.9 cm) color touchscreen.
- Send scans right from the scanner to network folders or a PC via a gigabit Ethernet connection.²

Streamline tasks with automated workflows

- Digitize files without worrying about running out of storage, with the efficient file compression.
- Easily transfer scans into editable text, searchable PDF files, and more file types, using the built-in OCR
- Save time reading and classifying files, with a scanner that recognizes your files, and does it for you.
- Scan images directly into applications with included and full-featured TWAIN, ISIS® and WIA drivers.
- Speed up document workflows, and touch-up scans with intelligent editing tools from HP Scan Premium software.

Safeguard your scans from malware

- Get safe scan startups, with HP Secure Boot, which automatically checks that the BIOS code is
- Keep compromised firmware at bay, with HP firmware code-signing validation, minimizing exposure
 to exploits.

¹ Scan speed measured at 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software

Product walkaround

- 1. Document input tray with extension
- 2. Sliding paper guides
- 3. Supports A3 size and heavy paper up to 420gsm
- 4. 4.3-inch (10.9 cm) touch panel
- ${\it 5. Document output tray with extension}\\$
- 6. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage $\,$
- 7. Latch to access paper path
- 8. Power, Back, Home, and Help buttons
- 9. Network connectivity via the Ethernet port
- 10. USB 3.0 port; USB host for connecting USB flash drives



Series at a glance





Model	HP ScanJet Enterprise Flow 9000 s1	HP ScanJet Enterprise Flow N9000 sn1	
Product number	8Q4W0A	8Q4W1A	
Media support	Up to A3/ledger, th	Up to A3/ledger, thickness up to 420gsm	
Scan speed	Scan up to 8	Scan up to 80 ppm/160 ipm ¹	
Control panel	2-line LCD	4.3-inch color touchscreen display	
ADF	100 A4/10	100 A4/100 A3-sheet ADF	
Software	HP Sca	HP Scan Premium	
Recommended duty cycle	Up to 30,00	Up to 30,000 pages per day	
Connectivity	High-speed USB 3.0	High-speed USB 3.0, Ethernet	

¹ Scan speed measured at 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc













Top features

Scan up to A3/ledger size, from detailed technical drawings to vibrant, large-format posters.

Power through heavy workloads when you get one-pass duplex scanning with the 100-sheet A3 ADF.

Digitize, classify, and save files efficiently with HP Scan Premium software.

HP Secure Boot and firmware code-signing validation help keep every startup and update safe from malware.

Supplies

9Y0J0A HP ScanJet Flow 9000 Roller Replace Kit

Services

UF7Y8E - HP 3 year Advanced Exchange Service for ScanJet Enterprise Flow 9000

UF7Y9PE - HP 1 year Post Warranty Advanced Exchange Service for ScanJet Enterprise Flow 9000

UF8E0E - HP 3 year Next Business Day Advanced Exchange Service for ScanJet Enterprise Flow 9000

 $\textbf{UF8E1E} - \text{HP 4} \ \text{year Next Business Day Advanced Exchange Service for ScanJet Enterprise Flow } 9000$

UF8E2E - HP 5 year Next Business Day Advanced Exchange Service for ScanJet Enterprise Flow 9000

UF8E3PE - HP 1 year PostWarranty Next Business Day Advanced Exchange Service for ScanJet Enterprise Flow 9000

UF8E4E - HP 3 year Next Business Day Onsite Exchange Service for ScanJet Enterprise Flow 9000

UF8E5E - HP 4 year Next Business Day Onsite Exchange Service for ScanJet Enterprise Flow 9000

UF8E6E - HP 5 year Next Business Day Onsite Exchange Service for ScanJet Enterprise Flow 9000

UF8E7PE - HP 1 year PostWarranty Next Business Day Onsite Exchange Service for ScanJet Enterprise Flow 9000

U9JT2E - HP Installation Service with network configuration for Workgroup Printer (1 unit)

scan speed measured at 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

HP ScanJet Enterprise Flow 9000 Series

Model	HP ScanJet Enterprise Flow 9000 s1	HP ScanJet Enterprise Flow N9000 sn1	
Product number	8Q4W0A	8Q4W1A	
Scan			
Scan type / Technology	Type: Sheetfed; Technology: ADF; CMOS CIS (Contact Image Sensor); Twain version: Version 2.4		
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical : Up to 600 dpi; Software : Up to 1200 dpi		
Scan file format	BMP; JPEG; JPG; MTIFF; PDF; PDFA; PNG; RTF; TIFF; TXT; XPS	TXT; TIFF; RTF; PDF; PDFA; JPG; JPEG; PNG; BMP; XPS	
Scan input modes	Two scan modes (simplex/duplex) on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA	Two scan modes (simplex/duplex) with 10.9 cm (4.3 inch) color touchscreen on front-panel for HP scan in Win OS HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA	
Scan Size	ADF: 11.7 x 230 in Maximum; 2 x 2.7 in Minimum		
Scanner advanced features	Auto Document Classification; Manual Reduction; Multi Zonal OCR; Scan to Multi Destination; Auto Orientation; Blank Page Removal; Barcode Detection; Digitial Stamp; Batch Seperation; HP EveryPage Technology; Scan to USB.	Auto Document Classification; Manual Reduction; Multi Zonal OCR; Scan to Multi Destination; Auto Orientation; Blank Page Removal, Barcode Detection; Digitial Stamp; Batch Seperation; HP EveryPage Technology; Network Enabled Scanning; Scan to USB.	
Bit depth / Grayscale levels	24-bit (external), 48-bit (internal) / 256		
Digital sending standard features	Scan to PC; Scan to USB Drive; Scan to Email; Scan to Network Folder; Scan to SharePoint; Scan to Shortcut; Scan to Cloud		
Connectivity			
Standard connectivity	1 SuperSpeed USB 3.0	1 SuperSpeed USB 3.0; 1 Gigabit Ethernet 10/100/1000 Base-T network	
Memory	Standard: 1 GB		
Processor speed	666 MHz		
Paper handling			
Auto document feeder capacity	Standard. 100 sheets: Duplex ADF scanning: Yes		
Media types	Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Carbonless forms, Previously stapled media with staple removed, Carrier sheet purchased from HP		
Media weight	ADF:7.5 to 1912. Sib 28 to 420 g/m²		
Media sizes	ADF: US letter, US legal, US Executive, A3, A4, B5, A5, A6, A7, A8; 69 x 50.8 mm to 297 x 5842 mm		
Dimensions (W x D x H)	15.3 x 11 x 10 in; 389 x 280 x 253 mm; Maximum : 15.3 x 26 x 15.2 in; 389 x 660 x 386 mm		
Weight	13.5 x 11 x 10 III, 369 x 260 x 253 HIIII, maxiiluit. 13.5 x 26 x 15.2 III, 369 x 060 x 366 HIIII		
What's in the box	Power cord; adapter; USB cable; User Guide; regulatory flyer	Power adapter; USB cable; User Guide; regulatory flyer	
Warranty features	One-year limited hardware warranty, phone and Web support included. Warranty may vary by country as required by law. Go to http://www.hp.com/support to learn about HP world-class service and support options in your		
Energy star certified	Ves		
Ecolabels ²	IT ECO Declaration; EPEAT® registered; ENERGY STAR® certified		
Sustainable impact specifications	FSC Certified Packaging; 30% post-consumer recycled plastic		
Control panel	2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED and Tool button	Resistive 10.9 cm (4.3 in) touch panel with four buttons: sleep/power, home, back, help	
Display	2-line 16 character per line LCD display	Resistive 4.3 in touch panel	
Software included	HP Scan Premium Software, HP Scanner Tools Utility, HP Scan Assistant, HP WIA scan driver, HP TWAIN scan driver, ISIS driver ICA driver, HP Easy Scan for Mac OS, HPUI Scan for Linux		
Compatible operating systems	Windows 11; Windows 10; Windows 8.1; Windows Server; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux		
Minimum system requirements	PC:Microsoft Windows 11, 10, 8.1, 2008 R2, 2012 R2, 2016, 2019; 2 GB available hard disk space, Internet Required, Web Browser, USB; Mac:macOS Catalina v 10.15, macOS Big Sur v 11, macOS Monterrey v 12, macOS Ventura v 13, macOS Sonoma v 14; Internet Required; USB	PCMicrosoft Windows 11, 10, 8.1, 2008 R2, 2012 R2, 2016, 2019; 2 GB available hard disk space, Internet Required, Web Browser, USB; Mac: macOS Catalina v 10.15, macOS Big Sur v 11, macOS Monterey v 12, macOS Ventura v 13, macOS Sonoma 14; Internet Required; USB	
Power	Power supply type: External power adapter; Power supply required: Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use; Power consumption: 6.5 watts (ready), 1.2 watts (sleep), 0.08 watts (off)	Power supply type: External power adapter: Power supply required: Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use; Power consumption: 6.8 watts (ready), 1.81 watts (sleep), 0.08 watts (off)	
Acoustics	Acoustic power emissions: 5.5 B(A)		
Operating environment	Operating temperature range: 50 to 95°F; 10 to 35°C Recommended operating temperature: 63.5 to 77°F; 17.5 to 25°C Storage temperature range: 40 to 140°F; -40 to 60°C Operating humidity range: 15 to 80% RH (non-condensing) Recommended operating humidity range: 30 to 70% RH		
Security management	Encrypted scan data, No non-volatile storage of scan data	Encrypted scan data, TLS server certificate validation, PIN-protected reserved scan jobs, Encrypted and password protected device administration, User sign-in at the control panel using PIN codes, Access control for control panel apps based on the user PIN code, No non-volatile storage of scan data	
Country of origin	Made in China		

¹ Scan speed measured at 300 dpi using included HP Scan Premium. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ² This product is EPEAT Silver certified. Status varies by country. Visit https://www.epeat.net for more information.

To learn more, visit hp.com



