# HP DesignJet T650 36-in Printer 2025 Edition



# The world's smallest plotters<sup>1</sup>-intuitive and responsibly designed.



\*Product image may differ from actual product

### INTUITIVE-Easy, effortless printing

- Simplify printing with the new HP Click Print solutionssave time with real-print preview.2
- Print multi-size A4/A to A0/E projects automatically, without manually switching the media source.
- Print your jobs and manage your plotter virtually anywhere, anytime with the HP app.3

#### RESPONSIBLY DESIGNED-Meet your environmental needs

- Save 65% energy<sup>4</sup> with the printer on/off auto scheduler and enjoy efficient ink maintenance
- Minimize plastic waste by more than 50% with a new molded fiber packaging and removal of most plastic
- Made with at least 40% recycled plastic<sup>7</sup> and the first HP large format printer containing recycled metal.8
- Certified by UL ECOLOGO  $^{\!0}$  Registered in EPEAT Gold and achieves EPEAT Climate+  $^{10}$  .

### OPTIMIZED-Fits the way you work

- Save space with the world's smallest plotters<sup>1</sup> designed to fit your office, including a built-in stand.
- Avoid waiting by the printer with printing as fast as 25 seconds per A1/D plot.11
- Protect your printer from cyberthreats with HP Wolf Essential Security.
- Get high-quality results-HP Bright Office Inks deliver better line accuracy<sup>12</sup> and up to 34% more gamut.<sup>13</sup>

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

## Messaging Footnotes

Based on competitive comparison of operational footprint. Test performed by Sogeti and commissioned by HP in May 2024.
2HP One-click printing with HP Click software. HP Click software. HP Click software is only compatible with Original HP ink supplies. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.
3Requires HP Smart app download available at https://www.hp.com/go/mobileprinting. Certain feature are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app, Internet access required and may not be available in all countries. HP account required for full functionality. List of supported operating systems available in app stores.

4The percentage reductions in energy consumption are based on tests conducted by HP, 2024. Data based on the implementation of auto-scheduled on/off usage in various printer models, measured on a monthly basis. Actual savings may vary depending on the specific usage patterns, printer models, and environmental conditions.

5Use up to 96% less ink for routine maintenance vs. competitor. Based on HP internal testing, June 2024, comparing the HP DesignJet T200 Printer series and Cannon IPFT MP printer series in terms of ink used during routine printhead cleanings.

6The HP DesignJet T200/T600 Series 2025 Edition plotter uses polystyrene-free packaging with molded pulp cushions made from recycled fiber-based material. The plastic reduction is expressed as a percentage of the total packaging plastic weight. The reduction varies depending on the printer model, with at least a 53% reduction in the new 36-inch model and at least a 72% reduction in the new 24-inch model. compared to the previous T200/T600 models.

Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled content is based on the definition set in the EPEAT standard for imaging equipment. IEEE 1680.2.

\*Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled content is based on the definition set in the PPEAI standard for imaging equipment, IEEE 1880/2.

\*Recorporation of a minimum on 6 % of certified recycled metal, expected to be implemented in units manufactured after April 1st, 2025. Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal. This number is the minimum and may vary slightly due to manufacturing processes and material availability.

\*\*QLE ECOLOGO\*\* Certified HP 712 links meet a range of stringent human health and environmental considerations. For certifications, see http://www.ul.com/EL and http://www.ul.com/gg

\*\*To The TOO/T600 is EPEAT Gold in the US. and Canada and has achieved EPEAT Climate+. See https://www.epeat.net for registration status and tier levels by country.

\*\*To HP Design.Jet 1650 2025 Edition 36-models deliver A1/D prints in 25 seconds.

For more information, please visit http://www.hp.com/go/designjett650  $\,$ 



















Datasheet

# Technical specifications

		Remote print er
Print speed	25 sec/page on D, 82 D prints per hour <sup>1</sup>	One-click multi-
Print resolution	Up to 2400 x 1200 optimized dpi	Drivers
Technology	HP Thermal Inkjet	-
Margins	Roll:	Security featur
ividi giris	0.2 x 0.2 x 0.2 x 0.2 in	
	Sheet: 0.2 x 0.2 x 0.2 x 0.7 in (manual feed); 0.2 x 0.2 x 0.2 x 0.2 in (input tray)	
Ink types	Dye-based (C, M, Y); pigment-based (K)	
Print Cartridges, Number	4 (C, M, Y, K) cartridges	Dimensions
Ink drop	5.5 pl (C, M, Y); 12 pl (K)	- Product
Print cartridge volume	80 ml (K); 38 ml (K); 29 ml (C, M, Y) per cartridge	Shipping
Page Yield	20 ml of ink yields 101 A1/D pages, taking into account maintenance	Shipping
. ago mola	routines <sup>2</sup>	Weight
Printheads	1 (cyan, magenta, yellow, black)	Product
Printhead nozzles	1376	Shipping
Line accuracy	±0.1% <sup>3</sup>	Included
Minimum line width		What's in the ba
	0.0008 in	
Max optical density	8 L* min/2.10 D <sup>4</sup>	
Media		HP Software an
Applications	Line drawings; Presentations; Renderings	Environment
Handling	Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter	
Maximum media width	36 in	Operating temp Operating humi
Media rolls	1	Operating riting
Roll size	11 to 36 in	Storage temper
Maximum roll weight	13.6 lb	Recycled plasti
Maximum roll diameter	3.9 in	Acoustics
	Auto sheet feeder: 8.3 x 11 to 13 x 19 in	Sound pressure
Sheet size	manual feed: 8.3 x 11 to 36 x 74.7 in	
Standard media sizes	Auto sheet feeder: A, B	Sound power
supported	manual feed: A, B, C, D, E	Power
Media Weight Recommende	ed	Consumption
Media thickness (maximum)		Requirements
Media types	Bond and coated paper (bond, coated, heavyweight coated, plain, bright	Certification
	white, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (satin, gloss, semigloss, polypropylene), self-adhesive	Safety
	(adhesive, polypropylene)	- Odioty
Embedded controller		
Memory	1GB	Electromagneti
Hard disk	None	
Native print languages	HP-GL/2, HP-RTL, CALS G4, JPEG, URF	Environmental
Connectivity		144
Interfaces	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11a/b/g/n, Wi-Fi Direct	Warranty
	HP Click App, HP Click Driver, HP app, Windows and MacOS printer drivers,	

	Printing support for ChromeOS, Email printing	
Remote print enabled	Yes	
One-click multi-size printing	Yes	
Drivers	Raster driver for macOS and Windows, HP-GL/2 driver for Windows, HP Click Driver for Windows 11	
Security features	HP Wolf Essential Security: Secure boot with HW root of trust; Firmware Code Signature Validation; Automatic FW Updates; HTTPS Redirect enabled by default; SNMPv1/2 read-only by default; SNMPv3 disabled by default; Write-protected memory; HP Cartridge Security; Unique password; Disable USB ports; TLS 1.2; 802.1x; IPv4 & IPv6 Compatibility; CA/JD Compatibility	
Dimensions (WxDxH)		
Product	51.9 x 23.8 x 36.7 in	
Shipping	57.9 x 22.6 x 23.2 in	
Weight		
Product	78 lb	
Shipping	123.5 lb	
Included		
What's in the box	HP DesignJet T650 36-in Printer, printer stand, automatic sheet feeder, roll cover, printhead, introductory ink cartridges, spindle, quick reference guide, setup poster, power cord	
HP Software and solutions	HP Click App for Windows and macOS, HP Click Driver for Windows 11, HP app for Windows, macOS, Android and iOS	
Environmental ranges		
Operating temperature	41 to 104°F	
Operating humidity	20 to 80% RH	
Operating altitude	Up to 9843 ft	
Storage temperature	-13 to 131°F	
Recycled plastic in printer	40%	
Acoustics		
Sound pressure	Printing: 42 dB(A) (operating), <16 dB(A) (idle)	
Sound power	Printing: 5.8 B(A) (operating), <3.4 B(A) (idle)	
Power		
Consumption	<35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (off)	
Requirements	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max	
Certification		
Safety	USA and Canada (CSA certified); EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS); Mexico (NYCE)	
Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC/RED Directives), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class B product: Korea (KCC)	
Environmental	ENERGY STAR; WEEE; EU ROHS; EAEU ROHS; REACH; ErP; EPEAT Climate+ Gold; UL Ecologo	
Warranty	2-year limited warranty includes 2 years of parts and on-site service.  (Product includes a 1-year basic hardware warranty and an integrated 2 yr Care Pack upgrade, applied concurrently to achieve 2 years of Warranty coverage.) Terms and conditions vary by country. Certain restrictions and exclusions apply	

# Ordering information

DHRIOI	HP DesignJet 1650 36-in Printer 2025 Edition
TAA Compliance	China(B1K); Thailand(ABA, B1K)
Accessories	
B3Q37A	HP DesignJet 36-in Spindle
Original HP printing supplies	
3ED58A	HP 713 DesignJet Printhead Replacement Kit
3ED67A	HP 712 29-ml Cyan DesignJet Ink Cartridge
3ED68A	HP 712 29-ml Magenta DesignJet Ink Cartridge
3ED69A	HP 712 29-ml Yellow DesignJet Ink Cartridge
3ED70A	HP 712 38-ml Black DesignJet Ink Cartridge
3ED71A	HP 712 80-ml Black DesignJet Ink Cartridge
3ED77A	HP 712 3-pack 29-ml Cyan DesignJet Ink Cartridge

HP 712 3-pack 29-ml Magenta DesignJet Ink Cartridge

HP 712 3-pack 29-ml Yellow DesignJet Ink Cartridge

Use Original HP inks and printheads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for  $full\ HP\ warranty\ protection.\ For\ more\ information,\ visit\ https://hp.com/go/Original\ HP\ inks$ 

## Original HP large format printing materials

HP Universal Bond Paper (FSC® certified)<sup>5</sup> (recyclable)<sup>6</sup>

HP Coated Paper (FSC® certified)<sup>5</sup> (recyclable)<sup>6</sup>

HP Heavyweight Coated Paper (FSC\* certified) (recyclable)<sup>6</sup>
For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

### Service and Support

U42W5E HP 3y Next Business Day support for DesignJet T650-36 U42W6E HP 4y Next Business Day support for DesignJet T650-36 U42W7E HP 5y Next Business Day support for DesignJet T650-36 UC744E HP Network Installation Service for DesignJet Low-end series

HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit http://www.hp.com/go/cpc

### **Specification Footnotes**

- 1 Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks. Actual performance may vary based on a variety of conditions, including but not limited to network configuration.
- <sup>2</sup> Calculation done taking into account two normal printhead cleanings and ink on an A1/D CAD drawing with black and color lines and a pixel coverage of 5.2%.
- 3 ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Heavyweight Coated roll feed and Original HP inks.

  4 With HP Premium Instant Dry Photo Gloss media with Original HP inks.

  5 BMG trademark license code FSC\*-C115319, see http://www.fsc.org. HP trademark license code FSC\*-C017543, see http://www.fsc.org.

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



3ED78A

3FD79A